

SOUTH DAKOTA DEPARTMENT OF HEALTH OFFICE OF FAMILY HEALTH

MINIPILLS (PROGESTIN-ONLY PILLS) CONSENT FORM

| I, | | , hereby | acknowledge | e that I v | vas giv | en an c | pportunity | to ask |
|-----------------------------|-----------------------|-----------------|----------------|------------|----------|-----------|---------------|---------|
| questions about all forms | of birth control, m | neaning all pr | escription, no | n-prescrip | tion, an | d natura | l methods. | All of |
| my questions were answer | ered to my satisfacti | ion and I unde | erstood all of | those answ | vers. I | understa | and that no r | nethod |
| of birth control, except al | ostinence, is 100% e | effective agair | nst pregnancy | or contrac | ting sex | ually tra | ansmitted di | seases, |
| including the Human Ir | nmunodeficiency V | /irus (HIV) i | infection that | leads to | the Ac | quired | Immunodefi | ciency |
| Syndrome (AIDS) disease | e. | | | | | | | |

I also acknowledge that the following benefits, risks/side effects, warning signs, alternatives, instructions, and decision to discontinue use option, regarding the birth control method, minipills (progestin-only pills) were explained to me before I voluntarily decided to use this method of birth control.

BENEFITS: I have been told that the progestin-only pill may be 95% effective in preventing pregnancy if used consistently and correctly. I understand the risk of pregnancy with this method is slightly higher than with other birth control pills. The progestin-only pill may provide the following benefits:

- No estrogen effects
- Shorter periods with lighter flow
- Less menstrual cramps
- Less breast tenderness
- Less PMS symptoms
- Decreased PID
- Less endometrial cancer
- Less effect on breast milk production if breastfeeding

RISKS/SIDE EFFECTS

- 1. Menstrual cycle changes (irregular bleeding, spotting, breakthrough bleeding, prolonged cycles, or not bleeding).
- 2. Increased risk for functional ovarian cysts
- 3. Increase in ectopic or tubal pregnancies
- 4. Weight gain or weight loss
- 5. Breast tenderness
- 6. Nausea and vomiting

WARNING SIGNS: I have been told that I need to call a doctor or the family planning clinic if I have any of the following early warning signs develop:

- ♦ Abdominal pain
- ♦ Missed periods (may indicate pregnancy)
- ♦ Irregular or heavy bleeding
- ♦ Headaches or vision problems

ALTERNATIVES: I have received written information about other methods of birth control and I choose the progestin-only pill.

INSTRUCTIONS: I am aware that I should use condoms or another contraceptive method for 2 weeks after I first start to take birth control pills, to keep from getting pregnant. I have been told that I need to take my pill every day at the same time. Failure to do so increases the risk of pregnancy. If I am more than 3 hours late in taking the minipill, I should use a backup method for the next 48 hours.

DECISION TO DISCONTINUE USE: I understand that I may discontinue the pill at any time. I understand that I should use another method of birth control if I do not desire to become pregnant. If I wish to become pregnant, I have been told I should use another means of birth control until I have had three regular periods before attempting to become pregnant.

| I hereby release th | e South Dakota Depai | tment of Health, the South Dakota Far | mily Planning Program, and any |
|---------------------------|-------------------------|--|---------------------------------|
| of its employees or ager | nts, from and against | any and all claims, damages, or liabi | lities which I may have against |
| them as a result of my re | ceiving birth control a | nd related medical services, supplies, | and/or procedures. |
| | | | |
| | | | |
| Client Signature | (date) | Witness Signature | (date) |

HS-320 10/02